TOSHIBA

e-STUDIO2309A

Product brochure

- › A3 B&W printing
- › Up to 23 ppm
- › Colour Scanning
- › Standard network print and scan
- › Standard Internet fax
- › Compact design and footprint

TOGETHER INFORMATION

BENEFITS

All in one

Whatever you need, Toshiba's monochrome printing systems are there to support you. Packed with multifunctional potential the e-STUDIO2309A delivers outstanding performance. Brilliant print quality, crystal-clear colour scans and quick copies are packed in a stylish design. Add the optional fax and these systems comfortably meet all demands of the modern office environment.

With an output speed of 23 pages per minute and as many as up to five different paper sources the e-STUDIO2309A is capable of supporting an entire workgroup. The total paper capacity of up to 1,700 sheets for A5 to A3 format ensures smooth operation without the need to constantly add paper.

Connectivity

This system easily integrates into existing networks. The standard network capability can even be extended with the optional Wireless LAN module, to give you more flexibility.

Various colour scan functions exist, such as Scan to USB, Scan to E-Mail or Scan to Folder, to let you share and manage your electronic documents with complete ease.

Ease-of-use

The intuitive user interface provides highest possible efficiency when operating these new systems. Logical key configuration and a clearly structured menu allow users to enjoy all benefits right from the start.

We are aware that each company has unique needs and requirements. Therefore, the e-STUDIO2309A is designed to adjust to your demands. Thanks to a flexible configuration they offer optimal efficiency.

Take advantage of the versatile functionality to enhance your productivity.

CONFIGURATION

Reversing Automatic Document Feeder

Platen Cover

Paper Feed Unit

Drawer Module

Paper Feed Pedestal

Desk

SPECIFICATIONS

General

Print & Copy Speed	23 ppm (A4) 14 ppm (A3)
Warm-up Time	Approx. 18 seconds
Paper Size & Weight	Cassette: A5R-A3, 64-80 g/m² Bypass: A5R-A3, 52-216 g/m²
Paper Capacity	1x 250 sheets (Cassette), 1x 100 sheets (Bypass) Maximum 1,700 sheets
Inner Output Tray	100-sheet capacity
Automatic Duplex	A5R-A3, 64-80 g/m²
Memory	512 MB RAM
Interface	10Base-T/100Base-TX (incl. IPv6), High Speed USB 2.0, WLAN[1] (IEEE802.11b/g/n)
Dimensions & Weight	575 x 540 x 402 mm (W x D x H), ~25.5 kg
Starter kit	Toner, Drum, Developer

Print

Resolution	Maximum 2,400 x 600 dpi with smoothing
Page Description Language	PCL 5e & 6 and PostScript 3[1] compatible
Supported Systems	Windows 8/7/Vista/Server 2008 SP2 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.7.4-10.10, Unix/Linux
Print Functions	Universal Printer Driver, Print from USB, Multiple pages per sheet, Driver plug-ins[1], Rotate Sort[2], Toner save mode

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Monochrome/Colour: 25 ipm (300 dpi)
Scan Modes	Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF (and other formats such as DOCX, XLSX, RTF, TXT, PDF/A)[1]
Scan Functions	Scan templates, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP) TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing
First Copy Output Time	Approx. 6.4 seconds
Zoom	25-400% (Platen), 25-200% (RADF)[1]
Copy Modes	Text, Text/Photo, Photo, Background erase
Copy Functions	Copy templates, Electronic Sort, Rotate Sort[2], ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode, Auto sort[2]

Fax[1]

Communication	Super G3, G3
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	6 MB Transmission/Reception
Network Fax	Driver for Windows 8/7/Vista/Server 2008 SP2/Server 2003 (32/64 bit), Windows Server 2012/Server 2008 (64 bit)
Fax Functions	One-touch dialing (5 keys), Group dialing

System & Security

Device Management	e-BRIDGE Fleet Management System[1], TopAccess for remote administration and configuration
System Features	Internal toner recycling, Energy-saving modes
Accounting & Security	100 department codes, IP and MAC address filter, SSL support

Options

RADF	50-sheet capacity, A5R-A3, 50-104 g/m²
Paper Feed Unit	1x 250-sheet capacity, A5R-A3, 64-80 g/m²
Paper Feed Pedestal	1x 550-sheet capacity, A5R-A3, 64-80 g/m²
Drawer Module	For Paper Feed Pedestal 550-sheet capacity, A5R-A3, 64-80 g/m²
Desk	
Fax Board	
Wireless Lan Module	
PostScript Module	Including 512 MB memory
e-BRIDGE Re-Rite	

[1] Optional
[2] Requires RADF